



DOOR MOUNTED ROTARY OPERATOR STANDARD IEC IP65 WITH DOOR INTERLOCKING ACCESSORY FOR 3VA2 100/160/250

Model

| | | |
|--------------------------------|--|-------------------|
| product brand name | | SENTRON |
| Design of handle | | Gray |
| Design of the door lock system | | Door interlocking |
| Protection class IP | | IP65 |

Product details

| | | |
|------------------------------------|--|-----|
| Product component / axis extension | | Yes |
| Product property / lockable | | Yes |

Accessories

| | | |
|-------------|----|-------------------------------------------|
| accessories | | Door-coupling rotary operating mechanisms |
| Height | mm | 80 |
| Net weight | g | 635 |

| | | | |
|--------------------------|-----|---------------------------|-------|
| General Product Approval | EMC | Declaration of Conformity | other |
|--------------------------|-----|---------------------------|-------|



[other](#)



EG-Konf.

[other](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA92670FK21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3VA92670FK21/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA92670FK21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

05.05.2015