

busbar 25 x 5 (01 621)



Description

Article

Part No.: 01 621
busbar 25 x 5
length 2,40 m, tinned

System

60Classic

Product group 06

Subgroup 82

pack size 1

EAN 4021267016210

Advantages of the product

Tin-plated Cu busbars considerably reduce the effort of preparing the contact points.
The Cu busbars are effectively protected against aggressive media.

Catalog page 2015 : 2/2

eCl@ss 6.1 27370303
eCl@ss 7.1 27370303
ETIM 4.0 EC001522
ETIM 5.0 EC001522

Approvals

Standards

IEC 61439-1:2011

Approvals

Germanischer Lloyd



Type number: 25x5

CCC approval: no certification required

Product data

Electrical data

Power dissipation:

The power dissipation at a typical load of 80% of the rated current results to 38.8 W.
(The power dissipation for operation with rated current would be 60.7 W.)

short-circuit withstandability: see product description of the used busbar support

Mechanical data

L x W x D: 2400 x 25 x 5

Weight: 267.8 kg/100

cross-section: 125 mm²


Edge radius 0.5

Material properties

Main body: Copper, tinned

corrosion-resistant, also in aggressive environments

Accessories



01 244
busbar cover
for 12 - 30 x 5 busbar
1 m long